

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 12:55 pm

**PWS ID:** UTAH25128      **Name:** GLADSTAN GOLF COURSE

**Legal Contact:** GLADSTAN GOLF COURSE      **Rating:** Approved  
GORDON WHITE      **Rating Date:** 04/09/1996

**Address:** 439 W UTAH AVE      **Activity Status:** Active  
PAYSON, UT 84651

**Phone Number:** 801-465-5278

**City Served (Area):**

**County:** UTAH COUNTY

**System Type:** Non-community      **Last Inv Update:** 07/08/2009      **Avg Daily Prod:**

**Activity Status Cd:** Active      **Last Snty Srv Dt:** 08/10/2009      **Total Dsgn Cap:**

**Population:** 350      **Surveyor:** MARK BERTELSON      **Total Emerg Cap:**

**Oper Period:** 5/1 to 9/30

Gal/Day    Gal/Min

### Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	10/01/2009		5/1	9/30	COLIFORM (TCR)

### Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001 DIXON SPRING		Activity Status: A	Sample Label: UTAH25128	WS001	WS001
NITRATE	1	Routine	Year	09/07/2010	01/01/2011-12/31/2011
SULFATE	1	Routine	9Y	12/22/2008	01/01/2011-12/31/2019

### Sources Grouped for Sampling Compliance

Source Group ID: S48-UTAH25021UTAH25034UTAH25128

#### Sources in Group

WS001	DIXON SPRING	UTAH25128	GLADSTAN GOLF COURSE
WS001	DIXON SPRING	UTAH25034	GOOSENEST WATER COMPANY
WS016	DIXON SPRING (ACTIVE WS# 25128)	UTAH25021	PAYSON CITY WATER SYSTEM